



Technical Data Sheet

Tensocrepe[®]


Spec.-No.: D 2.6789

Department: SM-PDW

Date: 2008-02-06

CHANGE CONTROL REPORT

Page /Edition	replaces Page/Edition	Reason for Change
1-2 dated 2008-02-06	new	New Technical Data Sheet

Department	Date	Signature
SM-PDW	2008-02-06	

Tensocrepe®

Spec.-No.: D 2.6789

Department: SM-PDW

Date: 2008-02-06

1. General Product Description

Elastic conforming crepe bandage, with red threads along the border. Provides secure application, sticks only to itself and not to hair, skin or clothing, permeable to air and kind to the skin, may be sterilized (steam/heat). Elasticity due to its crêpe texture, elasticity approx. 120%.

Tensocrepe® carries the CE mark according to EU directive 93/42/EEC for medical devices. The product is classified as a nonsterile class I medical device.

A conformity assessment has been performed for **Tensocrepe®** and it has been shown to be in compliance with all applicable requirements of the above mentioned directive.

2. Application / Indication

For dressing retention, for use as a support bandage providing light compression.

3. Presentations

Dimensions	Unit	Units per case
individually packed bandages, 75 g/m²		
5cm x 4m (stretched length)	OP 1 bandage	100 Units
7cm x 4m (stretched length)	OP 1 bandage	80 Units
10cm x 4m (stretched length)	OP 1 bandage	60 Units
15cm x 4m (stretched length)	OP 1 bandage	40 Units
20cm x 4m (stretched length)	OP 1 bandage	28 Units
individually packed bandages, 85 g/m²		
5cm x 4m (stretched length)	OP 1 bandage	50 Units
7cm x 4m (stretched length)	OP 1 bandage	50 Units
10cm x 4m (stretched length)	OP 1 bandage	50 Units
15cm x 4m (stretched length)	OP 1 bandage	50 Units
20cm x 4m (stretched length)	OP 1 bandage	50 Units

4. Product Characteristics

material composition: 100% cotton

extensibility: ca. 120%

(lengthwise direction)

weight stretched: ca. 75 g/m² and 85 g/m²

Tensocrepe®

Spec.-No.: D 2.6789

Department: SM-PDW

Date: 2008-02-06

5. Labelling

Lot-No. with 7-digit code:

e.g.:

06
year

22
week of production

XXX
for internal purposes only

Shelf life: 5 years

6. Packaging

Tensocrepe® is individually packed in folding boxes, transport carton acc. DIN, packed onto euro-pallet.

Date: 2008-02-06

A handwritten signature in blue ink, appearing to be 'D. Müller'.

- SM-PDW -