

# Foliodrape® Back table cover

## General Product Description/Intended Purpose

Foliodrape® Back table covers consist of a variety of products and materials: different layers of hydrophilic nonwoven material laminated with Polyethylene-film (PE) included into single packed products and sets varying in material type, size, design and application. Foliodrape® equipment covers are non-active devices.

The covers are single-use sterile products for short-term use enabling a sterile working environment. They are used in operating room and all other surgical environments (e.g., ambulance, doctor's surgery).

The main task of Back table covers is the prevention of pathogen entry into the surgical wound. Consequently, the risks of infections and blood-borne diseases are reduced.

The products are placed on the market sterile and are in Medical Device Class I.

## Application/Indication

The Foliodrape® Back table covers can be grouped according to the following fields of application: general surgery; gynaecology and obstetrics surgery; orthopaedics and accident surgery; ENT, oral, and maxillofacial surgery; urology surgery; ophthalmology surgery; and cardiothoracic, cardiovascular, and neurosurgery.

Foliodrape® equipment covers for short term use\* and prevention of infection on humans in a clinical environment. Depending on the procedure for which they are used, the Foliodrape® products usage time will vary from few minutes to several hours of continuous usage.

\* Definitions according to Reg. (EU) 2017/745 (MDR)

## Reference Numbers

Name of product	REF number	Size	Size reinforcement
Foliodrape® Back table cover	936 150/1	150 x 100 cm	75 x 100 cm
	250 228/5	160 x 150 cm	75 x 160 cm
	938 848/2	190 x 150 cm	75 x 190 cm
	938 847/2	240 x 150 cm	75 x 240 cm

## Residual Risks, Contra-Indications and Undesirable Side Effects, Warnings.

No contraindications known.

## Sterile Device

Do not use when sterile packaging or the product are damaged or were unintentionally opened before use.

## Single Use Device

Reusing a single-use medical device is dangerous. Reprocessing devices, in order to reuse them, may seriously damage their integrity and their performance. Information available on request.

## Product Disposal

To minimize the risk of potential infection hazards, or environmental pollution, disposable components of Foliodrape® products should follow disposal procedures according to applicable and local laws, rules, regulations and infection prevention standards. All infected waste is recommended to be disposed of by incineration.

Non-contaminated material such as waste paper, packaging and non-sterile but not biologically contaminated materials can be disposed separately. Separate disposal containers should be available where waste is created, so that staff can sort the waste as it is being discarded.

## Incident Reporting

For a patient/user/third party in the European Union and in countries with identical regulatory regime (Regulation 2017/745/EU on Medical Devices); if, during the use of this device or as a result of its use, a serious incident has occurred, please report it to the manufacturer and/or its authorised representative and to your national authority.


# Foliodrape® Back table cover

## Product Performance Characteristics

The Foliodrape® range is developed under high-quality standards to ensure safety and infection prevention. All products are free of chlorinated substances such as CMR/PBT/vPvB substances (carcinogenic, mutagenic and toxic to reproduction, etc.). There are no added flame-retardants (like polybrominated bi-phenyls, etc.). Because of the hydrophilic nature of the non-woven, the Foliodrape® Back Table cover itself has antistatic properties, a special antistatic treatment is not necessary. Foliodrape® Back table cover meet the demand level "High Performance" of EN 13795-1:2019. They fully support patient and OR environment safety.

## Material Characteristics

Composition	Details
<b>Composition:</b>	Non-woven-film-laminate, colour: aqua; total weight 90g/m <sup>2</sup> , latex-free
<b>Film:</b>	PE-film, colour: aqua, 60 µm, width 150 cm
<b>Non-woven (absorbent):</b>	Hydrophilic Polypropylene non-woven, colour: aqua, 30 g/m <sup>2</sup> , width 75 cm
<b>Adhesive:</b>	Hotmelt on the basis of synthetic rubber
<b>Sterilization:</b>	With ethylene oxide gas according to EN 556-1 and EN 11135-1



Foliodrape® Back table cover corresponds to all requirements of European standard EN 13795-1:2019 for the performance level "High performance". For detailed information about the material and test results, please visit page 5.

## Product Characteristics

Name of product	REF number	size of cover	Size reinforcement
Foliodrape® Back table cover	936 150/1	150 x 100 cm	75 x 100 cm
	250 228/5	160 x 150 cm	75 x 160 cm
	938 848/2	190 x 150 cm	75 x 190 cm
	938 847/2	240 x 150 cm	75 x 240 cm

## Labelling

The Foliodrape® labeling describes the intended purpose of the device as supported by clinical evaluation. Safety information supplied by the legal manufacturer on the labeling are based on the risk management documentation and elaborately present all warnings and precautions according the new requirements of the standards concerning the product.

Lot-No. with 8-Digit Code

e.g.:

**LOT**

0  
year

12  
Week of  
production

XXXXX  
for internal purposes only

# Foliodrape® Back table cover

## Manufacturing Date

e.g.:  2020 04 07  
year month day

## Use-by-Date

e.g.:  2025 04 07  
year month day

Shelf Life: 5 years

Medical Device **MD**

Unique Device Identification (UDI)





**UDI**

Single Sterile Barrier System  Single sterile barrier system

Do not use if the product sterile barrier system or its packaging is compromised



Single use device 

Keep dry 

Sterilized by Ethylene Oxide **STERILE EO**

Legal manufacturer

 **PAUL HARTMANN AG**  
Paul-Hartmann-Straße 12  
89522 HEIDENHEIM, GERMANY

European Conformity



Dispose of your waste in an appropriate manner



Recycling symbols – Corrugated cardboard / Polyethylene Low-Density



Producer contributes to recycling of packaging



Global trade identification number



**GTIN**

Indication arrow where to open the packaging




Name and intended purpose of the product

**Tischabdeckung  
Back table cover**

Reference / catalogue number

**REF**

Pictogram with product look and dimensions



# Foliodrape® Back table cover

## Storage and transport conditions

Transport and store in conditions for climatic regions I-IVa according to WHO Technical Report 953, 2009.

## Logistic data

Name of product	REF number	Peel Pouch size [mm]	Products per Peel Pouch	Peel Pouches per dispenser	Dispenser size	EAN of dispenser	Dispensers per carton
Foliodrape®  Back table cover	936 150/1	Size: M	1	30	Size: L	4052199501956	2
		266,5 x 360			368 x 274 x 296		
	250 228/5	Size: M	1	20	Size: L	4052199502236	2
		266,5 x 360			368 x 274 x 296		
	938 848/2	Size: M	1	18	Size: L	4052199500751	2
		266,5 x 360			368 x 274 x 296		
	938 847/2	Size: M	1	13	Size: L	4052199500799	2
		266,5 x 360			368 x 274 x 296		

Latest Date of Revision: 2020-05-11

# Foliodrape® Back table cover

## Foliodrape® Back Table Cover, reinforced, testing results according to EN 13795-1:2019

Property	Test method	Unit	Product requirement (PR) according EN 13795 -1:2019 for level "High Performance"	Test results <sup>1</sup>
Resistance to microbial penetration -Dry	EN ISO 22612	CFU	Less critical product area: ≤ 300 Critical product area: Not required <sup>2</sup>	<b>Unreinforced zone:</b> Not required <sup>2</sup> <b>Reinforced zone:</b> Not required <sup>2</sup>
Resistance to microbial penetration – Wet	EN ISO 22610	I <sub>B</sub>	Less critical product area: Not required Critical product area: 6.0	<b>Unreinforced zone:</b> 6.0 (no penetration) <b>Reinforced zone:</b> 6.0 (no penetration)
Cleanliness – microbial	EN ISO 11737-1	CFU/100 cm <sup>2</sup>	Less critical product area: ≤ 300 Critical product area: ≤ 300	<b>Unreinforced zone:</b> Not required <sup>3</sup> <b>Reinforced zone:</b> Not required <sup>3</sup>
Particle release	EN ISO 9073-10	log <sub>10</sub> (lint count)	Less critical product area: ≤ 4,0 Critical product area: ≤ 4,0	<b>Unreinforced zone:</b> M <sub>d</sub> = 1,8 and U <sub>q</sub> = 1,9 <b>Reinforced zone:</b> M <sub>d</sub> = 2,0 and U <sub>q</sub> = 2,3
Resistance to liquid penetration <sup>4</sup>	EN 20811	cm (H <sub>2</sub> O)	Less critical product area: ≥ 10 Critical product area: ≥ 100	<b>Unreinforced zone:</b> M <sub>d</sub> = 190 and L <sub>q</sub> = 189 <b>Reinforced zone:</b> M <sub>d</sub> = 192 and L <sub>q</sub> = 190
Bursting strength – Dry <sup>5</sup>	EN ISO 13938-1	kPa	Less critical product area: ≥ 40 Critical product area: ≥ 40	<b>Unreinforced zone:</b> M <sub>D</sub> = 87 and L <sub>q</sub> = 85 <b>Reinforced zone:</b> M <sub>d</sub> = 206 and L <sub>q</sub> = 200
Bursting strength – Wet <sup>5</sup>	EN ISO 13938-1	kPa	Less critical product area: Not required Critical product area: ≥ 40	<b>Unreinforced zone:</b> M <sub>d</sub> = 84 and L <sub>q</sub> = 82 <b>Reinforced zone:</b> M <sub>d</sub> = 195 and L <sub>q</sub> = 191
Tensile strength – Dry	EN 29073-3	N/50mm	Less critical product area: ≥ 20 Critical product area: ≥ 20	<b>Unreinforced zone:</b> Longitudinal direction: M <sub>d</sub> = 50 and L <sub>q</sub> = 44 Lateral direction: M <sub>d</sub> = 31 and L <sub>q</sub> = 31 <b>Reinforced zone:</b> Longitudinal direction: M <sub>d</sub> = 101 and L <sub>q</sub> = 96 Lateral direction: M <sub>d</sub> = 73 and L <sub>q</sub> = 72
Tensile strength - Wet	EN 29073-3	N/50mm	Less critical product area: Not required Critical product area: ≥ 20	<b>Unreinforced zone:</b> Longitudinal direction: M <sub>d</sub> = 51 and L <sub>q</sub> = 41 Lateral direction: M <sub>d</sub> = 42 and L <sub>q</sub> = 36 <b>Reinforced zone:</b> Longitudinal direction: M <sub>d</sub> = 104 and L <sub>q</sub> = 103 Lateral direction: M <sub>d</sub> = 76 and L <sub>q</sub> = 74

<sup>1</sup> Example REF 250 226 – LOT 601507281, Test report from independent Testing-Institute is available on request. Abbreviation: L<sub>q</sub> = lower quartile value, U<sub>q</sub> = upper quartile value and M<sub>d</sub> = median value. Product conforms when: L<sub>q</sub> ≥ PR<sub>min</sub> resp. U<sub>q</sub> ≤ PR<sub>max</sub>. L<sub>q</sub> = lower quartile value, U<sub>q</sub> = upper quartile value and M<sub>d</sub> = median value

<sup>2</sup> Not required when the product fulfill the criteria for high performance in critical product area for resistance to microbial penetration wet (see Annex B7 in EN 13795:2019)

<sup>3</sup> see clause A1.2 in EN 13795-1:2019, Foliodrape® articles are sterile according to EN 556

<sup>4</sup> measured without use of supporting tissue (according to EN 20811)

<sup>5</sup> values after membrane correction (according to EN ISO 13938-1)